RECEIVED CENTRAL FAX GENTER MAY 2.9 2008

CLAIMS LISTING

WHAT IS CLAIMED IS:

- 1. (Currently Amended) A method of identifying those animals having greater milk productivity from a group of livestock bovine animals of the same bovine species comprising:
 - [[c]] (a) selecting the livestock, wherein the selecting comprises:
 - (i) obtaining a nucleic acid molecule sample containing an ob gene polymorphism which is a C to T transition that results in Arg25Cys from livestock,
 - (ii) amplifying a region of the *ob* gene polymorphism with the oligonucleotide pair of SEQ ID NO:4 and SEQ ID NO:5 to encompass and include the polymorphic position to form nucleic acid amplification products,
 - (iii) contacting the amplified ob gene polymorphism sequences from step (ii), with hybridization probes consisting essentially of the oligonucleotide pair of SEQ ID NO:6 and SEQ ID NO:7, labeled with a detectable moiety under suitable conditions permitting hybridization of the labeled oligonucleotide probe to amplified ob gene polymorphism sequences to form duplex structures,
 - (iv) detecting the presence of amplified ob gene polymorphism sequences by detecting the detectable moiety of the labeled oligonucleotide probe hybridized to the amplified ob gene polymorphism sequences, and
 - (v) selecting the type of the livestock animal based on the detection of the ob gene polymorphism; and
 - (b) identifying those animals having a greater milk productivity based on the presence of a particular ob gene polymorphism at a specific polymorphic position in the ob gene.

- 2. (Currently Amended) The method of claim 1 wherein the selecting comprises determining whether the <u>livestock bovine</u> animal is a TT animal homozygous with respect to the T-allele of the ob gene, a CC animal homozygous with respect to the C-allele of the ob gene, or a CT animal heterozygous with respect to the T-allele and the C-allele of the ob gene.
- 3. to 6. (Canceled)
- 7. (Currently Amended) The method of elaim 6 claim 1 wherein the bovine is bovine dairy cattle.
- 8. (Currently Amended) A method of increasing milk production in a selected group of livestock bovine animals of the same species comprising:
 - (a) determining a genetic predisposition of each animal to produce milk by determining their ob genotype; and
 - (b) selecting animals that possess the T-containing allele of the ob gene which results from a change from Arginine to Cysteine for inclusion in the group.
- 9. (Currently Amended) The method of claim 8 wherein increasing milk production in a selected group of livestock bovine animals of the same species occurs during the first one hundred days of lactation.
- 10. (Original) The method of claim 9 wherein determining comprises determining whether the animal is a TT animal homozygous with respect to the T-allele of the ob gene, a CC animal homozygous with respect to the C-allele of the ob gene, or a CT animal heterozygous with respect to the T-allele and the C-allele of the ob gene.
- 11. (Canceled).
- 12. (Currently Amended) A method of identifying those <u>bovine</u> animals having increased milk productivity compared to <u>a</u> general population of animals of the same species by determining their *ob* genotype wherein animals that possess the T-containing

allele of the ob gene have increased milk productivity compared to animals that possess only the C-containing allele of the ob gene.

- (Original) A method of claim 12 wherein TT animals homozygous with respect 13. to the T-allele of the ob gene have a greater milk productivity than CT animals heterozygous with respect to the T-allele.
- (Currently Amended) A method of breeding livestock bovine animals to increase 14. milk production in the offspring comprising selecting breeding pairs of livestock bovine animals of the same species to increase occurrence of the ob T-allele in the offspring and breeding same.
- (Original) The method of claim 14 wherein the milk production is increased in 15. the first one hundred days of lactation in the offspring.
- (Currently Amended) A method of increasing milk production in a selected group 16. of livestock bovine animals of the same species comprising:
 - (a) determining a genetic predisposition of each animal to produce milk by determining their ob genotype;
 - [[(d)]] (b) selecting animals that possess the T-containing allele of the ob gene which results from a change from Arginine to Cysteine for inclusion in the group; and
 - [[(e)]] (c) increasing the amount of feed for [[in]] the selected group.
- (Currently Amended) The method of claim 16 wherein increasing milk 17. production in a selected group of livestock bovine animals of the same species occurs during the first one hundred days of lactation.
- (Original) The method of claim 17 wherein determining comprises determining 18. whether the animal is a TT animal homozygous with respect to the T-allele of the ob gene, a CC animal homozygous with respect to the C-allele of the ob gene, or a CT animal heterozygous with respect to the T-allele and the C-allele of the ob gene.

- 19. to 21. Canceled.
- 22. The method of elaim 21 claim 16 wherein the bovine is a bovine dairy cattle.